

1.12 Crop-wise Consumption of Fertilizers

('000' nutrient tonnes)

Year	Wheat 50%	Rice 6%	Maize 1.5%	Cotton 25%	Sugarcane 8%	Others 9.5%	Total
2004-05	1847.00	221.60	55.40	923.50	295.50	350.90	3693.90
2005-06	1902.10	228.30	57.10	951.10	304.30	361.40	3804.30
2006-07	1835.30	220.24	55.06	917.65	293.65	348.71	3670.60
2007-08	1790.45	214.85	53.71	895.23	286.47	340.19	3580.90
2008-09	1854.50	222.54	55.64	927.25	296.72	352.36	3709.01
2009-10	2180.20	261.62	65.41	1090.10	348.83	414.24	4360.40
2010-11	1965.80	235.90	58.97	982.90	314.53	373.50	3931.60
2011-12	1930.45	231.65	57.91	965.23	308.87	366.79	3860.90
2012-13	1810.75	217.29	54.3225	905.375	289.72	344.0425	3621.50
2013-14	2044.55	245.346	61.3365	1022.275	327.128	388.4645	4089.10

Source: National Fertilizer Development Centre, Islamabad.

- N.B. 1. Assumed for 1996-97 to 2003-04, wheat 45.36%, Rice 5.38%, Maize 2.24%, Cotton 23.10%, Sugarcane 10.61% and other 13.31% (Based on Fertilizer Use Survey 1999-2000, NFDC).
2. Assumed for 2004-05 and onward wheat 50.0%, Rice 6.0%, Maize 1.5%, Cotton 25.0% Sugarcane 8.0% and other 9.5% (Based on Fertilizer Use Survey 2005, NFDC).