

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
1. DIARRHEA CASES WHERE A PRACTITIONER WAS CONSULTED									
Pakistan	96	94	95	94	93	93	94	93	94
Punjab	95	92	93	95	94	94	95	93	94
Islamabad	93	80	86	100	100	100	98	92	95
Attock	100	100	100	100	100	100	100	100	100
Rawalpindi	96	94	96	100	77	93	98	88	95
Jhelum	100	100	100	0	0	0	100	100	100
Chakwal	100	0	100	100	100	100	100	100	100
Sargodha	88	87	88	96	100	97	95	97	96
Bhakhar	76	100	81	100	100	100	92	100	95
Khushab	100	100	100	100	94	97	100	95	97
Mianwali	100	100	100	100	100	100	100	100	100
Faisalabad	98	95	97	100	100	100	99	98	98
Jhang	94	95	94	98	94	96	97	94	96
T.T.Singh	100	89	94	97	93	95	97	92	95
Gujranwala	83	87	85	95	88	93	93	88	91
Gujrat	100	0	100	0	100	45	61	100	70
Sialkot	95	100	97	87	89	88	91	94	92
Hafizabad	100	85	92	100	100	100	100	90	95
Mandi Bahuddin	83	100	93	100	95	97	97	96	96
Narowal	100	100	100	100	87	90	100	89	93
Lahore	91	86	88	90	100	93	91	87	89
Kasur	100	73	91	97	94	96	98	91	95
Okara	100	92	96	92	93	93	94	92	93
Sheikhupura	100	73	88	100	100	100	100	91	96
Nankana Sahib	100	100	100	100	100	100	100	100	100
Vehari	88	84	86	82	65	75	83	68	76
Sahiwal	100	100	100	89	93	90	90	94	91
Multan	98	98	98	100	97	99	99	97	98
Khanewal	63	100	93	100	95	98	98	96	97
Pakpatten	100	100	100	93	100	97	94	100	97
Lodhran	100	100	100	100	92	97	100	94	97
D.G.khan	100	100	100	100	97	99	100	98	99
Rajanpur	100	100	100	100	100	100	100	100	100
Layyah	100	100	100	95	100	97	96	100	98
Muzaffar Garh	62	86	76	96	100	98	94	99	97
Bahawalpur	97	97	97	91	83	88	92	87	90
Bahawalnager	100	95	98	94	96	95	96	95	96
Rahim Yar Khan	94	92	93	91	98	94	92	97	94

NOTES:

- 1.Diarrhoea cases where a practitioner was consulted expressed as a percentage of all diarrhoea cases during past 30 in children under 5 years.
- 2.Cases where a practitioner was consulted: For all the children that reported an episode of diarrhoea in the past 30 days the mothers were asked if they consulted a practitioner for the ailment. The statistics reported here represent the percentage of cases where a practitioner was consulted.
- 3.Estimates of PIHS 98-99 & 2001-02 have been recalculated for children less than 5 years to make it comparable with PSLMS 2004-05.

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
Sindh	98	96	97	95	92	94	96	94	95
Khairpur	100	100	100	93	100	96	95	100	97
Sukkur	90	100	95	100	100	100	94	100	97
Nawabshah	100	100	100	100	94	96	100	96	98
Nowshero Feroze	100	100	100	93	89	91	97	94	96
Ghotki	100	100	100	100	100	100	100	100	100
Jacobabad	100	100	100	100	46	71	100	51	77
Kashmore	100	100	100	100	0	100	100	100	100
Shikarpur	100	100	100	92	97	95	93	97	95
Larkana	100	100	100	100	100	100	100	100	100
Shahdadkot	100	100	100	95	91	93	97	93	95
Dadu	100	89	93	96	100	97	96	95	96
Jamshoro	74	78	75	64	47	54	69	57	63
Hyderabad	97	96	97	83	100	95	96	97	97
Matiari	90	72	83	100	64	80	96	67	81
Tando Allah Yar	86	100	94	67	69	68	74	78	76
Tando Muhd Khan	100	100	100	92	85	88	93	86	89
Badin	64	82	73	94	95	95	87	91	89
Thatta	92	100	95	93	95	94	93	96	94
Sanghar	94	100	97	100	98	99	99	98	98
Mir Pur Khas	100	88	94	94	91	93	95	91	93
Tharparkar	100	100	100	100	96	98	100	96	98
Karachi	100	96	98	100	90	95	100	96	98

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
1. DIARRHEA CASES WHERE A PRACTITIONER WAS CONSULTED									
Khyber Pakhtunkhwa	90	89	90	89	91	90	90	91	90
Swat	100	100	100	79	75	77	79	77	78
Upper Dir	100	100	100	100	90	94	100	91	94
Lower Dir	0	0	0	100	100	100	100	100	100
Chitral	0	0	0	78	68	73	78	68	73
Shangla	0	0	0	100	100	100	100	100	100
Malakand	100	0	100	100	100	100	100	100	100
Bonair	0	0	0	100	100	100	100	100	100
Peshawar	100	100	100	100	100	100	100	100	100
Charsada	100	100	100	100	100	100	100	100	100
Nowshera	100	100	100	82	100	91	87	100	93
Kohat	100	100	100	85	100	92	88	100	94
Karak	85	100	88	97	79	91	95	81	91
Hangu	0	100	100	80	100	88	80	100	90
D.I.Khan	100	100	100	100	100	100	100	100	100
Tank	100	100	100	93	97	95	93	97	96
Mansehra	61	100	71	93	85	89	92	85	89
Abbottabad	76	100	78	0	66	50	53	68	60
Batagram	0	0	0	96	98	97	96	98	97
Kohistan	0	0	0	85	78	82	85	78	82
Haripur	87	100	93	94	94	94	93	94	94
Bannu	100	100	100	85	100	91	87	100	92
Lakki Marwat	100	83	89	93	93	93	94	92	92
Mardan	83	75	79	87	96	92	87	93	90
Swabi	84	76	79	88	100	93	88	93	90

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
1. DIARRHEA CASES WHERE A PRACTITIONER WAS CONSULTED									
Balochistan	91	98	94	84	87	86	86	89	87
Quetta	93	100	96	100	85	89	95	94	94
Pashin	100	100	100	87	100	90	88	100	91
Qilla Abdullah	100	100	100	100	100	100	100	100	100
Chaghi	45	59	53	57	67	63	54	65	61
Nushki	0	100	100	68	76	73	68	78	75
Sibbi	100	100	100	84	80	82	86	82	85
Ziarat	0	100	100	100	100	100	100	100	100
Kohlu	0	0	0	34	81	58	34	81	58
Dera Bugti	100	100	100	88	41	69	89	55	74
Kalat	0	100	100	100	100	100	100	100	100
Mastung	100	100	100	100	100	100	100	100	100
Khuzdar	100	100	100	83	100	90	86	100	93
Awaran	0	0	0	0	0	0	0	0	0
Kharan	100	0	100	66	68	67	75	68	72
Washuk	0	0	0	63	60	62	63	60	62
Lasbilla	84	100	88	72	88	79	74	89	80
Turbat	100	100	100	100	100	100	100	100	100
Gwadar	75	100	84	89	100	95	79	100	88
Panjgur	100	0	100	70	73	72	77	73	75
Zhob	100	100	100	100	100	100	100	100	100
Loralai	100	100	100	100	100	100	100	100	100
Barkhan	0	100	100	60	86	75	60	89	78
Musa Khel	0	0	0	100	100	100	100	100	100
Qilla Saifullah	100	100	100	100	100	100	100	100	100
Nasirabad	100	100	100	81	100	87	88	100	92
Jafarabad	0	100	100	100	100	100	100	100	100
Jhal Magsi	0	100	100	49	80	63	49	83	65
Bolan	100	100	100	79	17	69	81	35	72