

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
Pakistan	90	90	90	91	91	91	91	91	91
Punjab	92	91	92	91	92	92	92	92	92
Islamabad	86	100	92	94	78	85	90	85	88
Attock	78	100	88	100	87	95	94	90	93
Rawalpindi	69	83	78	78	61	74	75	78	76
Jhelum	73	36	55	100	100	100	87	70	79
Chakwal	100	100	100	100	84	91	100	88	93
Sargodha	100	94	96	94	84	89	95	86	90
Bhakhar	100	100	100	85	92	89	87	94	91
Khushab	100	67	84	93	89	91	94	86	90
Mianwali	100	87	93	97	94	95	97	92	95
Faisalabad	93	100	96	91	91	91	92	95	93
Jhang	83	100	91	84	93	88	84	94	88
T.T.Singh	86	88	88	89	100	94	89	96	93
chiniot	100	100	100	94	100	95	94	100	96
Gujranwala	88	100	92	84	89	86	86	95	89
Gujrat	63	100	77	100	60	64	73	66	68
Sialkot	100	95	97	87	85	87	91	89	90
Hafizabad	100	81	90	86	75	80	90	77	83
Mandi Bahuddin	76	0	76	87	100	90	85	100	88
Narowal	90	91	90	89	83	86	89	85	87
Lahore	98	88	93	90	100	94	96	90	94
Kasur	84	100	92	97	93	95	94	95	94
Sheikhupura	89	90	89	100	100	100	95	94	95
Nankana Sahib	100	59	66	80	100	91	82	89	86
Vehari	100	100	100	93	85	89	95	86	90
Multan	95	94	94	85	95	90	88	95	92
Khanewal	100	100	100	89	100	94	91	100	95
Lodhran	76	86	80	91	91	91	88	90	89
D.G.Khan	100	91	94	98	87	93	98	87	93
Rajanpur	100	100	100	91	100	96	92	100	96
Layyah	93	94	94	98	98	98	97	97	97
Muzaffar Garh	86	100	93	98	93	96	97	93	95
Bahawalpur	86	95	90	84	96	90	85	96	90
Bahawalnager	100	91	97	87	89	88	90	89	90
Rahim Yar Khan	93	65	82	92	91	91	92	87	90
Sahiwal	78	100	89	100	100	100	94	100	96
Pakpatten	100	100	100	95	95	95	96	96	96
Okara	92	100	97	93	95	94	93	96	95

NOTES:

- 1.Diarrhoea cases where a practitioner was consulted expressed as a percentage of all diarrhoea cases during past 30 in children under 5 years.
- 2.Cases where a practitioner was consulted: For all the children that reported an episode of diarrhoea in the past 30 days the mothers were asked if they consulted a practitioner for the ailment. The statistics reported here represent the percentage of cases where a practitioner was consulted.
- 3.Estimates of PIHS 98-99 & 2001-02 have been recalculated for children less than 5 years to make it comparable with PSLMS 2004-05.

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
Sindh	87	87	87	92	92	92	90	90	90
Khairpur	100	100	100	95	100	98	97	100	99
Sukkur	85	100	94	100	100	100	93	100	97
Nawabshah	91	83	88	87	97	93	90	92	91
Nowshero Feroze	100	100	100	100	90	96	100	91	96
Ghotki	77	100	89	95	93	94	93	94	94
Jacobabad	100	100	100	100	100	100	100	100	100
Kashmore	0	100	100	75	100	89	75	100	90
Shikarpur	100	100	100	100	100	100	100	100	100
Larkana	92	100	94	92	91	92	92	93	92
Shahdadkot	100	76	89	100	98	99	100	95	97
Dadu	100	100	100	96	90	94	97	94	95
Jamshoro	93	93	93	89	96	93	90	95	93
Hyderabad	90	98	94	100	100	100	93	98	96
Matiari	100	100	100	100	100	100	100	100	100
Tando Allah Yar	89	51	70	73	60	66	78	57	67
Tando Muhammad Khan	70	38	55	86	80	84	84	72	79
Badin	54	85	67	85	87	87	80	87	84
Thatta	79	89	84	64	88	77	67	88	79
Sanghar	97	95	96	93	91	92	94	92	93
Mir Pur Khas	100	100	100	98	97	98	98	98	98
Umer Kot	91	100	96	100	88	95	99	91	95
Tharparkar	79	100	88	93	95	94	92	95	94
Karachi	81	78	79	53	86	72	80	78	79

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
1. DIARRHOEA CASES WHERE A PRACTITIONER WAS CONSULTED									
Khyber Pakhtunkhwa	88	93	91	88	90	89	88	90	89
Swat	86	66	77	89	95	92	89	93	91
Upper Dir	100	100	100	90	100	95	91	100	95
Lower Dir	100	0	100	77	73	75	78	73	76
Chitral	100	0	100	93	89	91	93	89	91
Shangla	0	0	0	93	65	83	93	65	83
Malakand	100	100	100	100	100	100	100	100	100
Bonair	0	0	0	90	100	94	90	100	94
Peshawar	86	98	91	100	100	100	92	99	95
Charsada	66	100	89	83	78	81	81	86	83
Nowshera	82	100	87	100	100	100	95	100	97
Kohat	96	77	93	94	100	96	95	93	95
Karak	85	85	85	92	94	94	92	94	93
Hangu	70	100	89	100	100	100	92	100	96
D.I.Khan	86	100	95	72	97	84	73	97	85
Tank	93	100	96	82	92	86	84	93	87
Mansehra	68	62	65	76	65	70	76	65	70
Abbottabad	54	76	69	62	34	49	62	40	51
Batagram	0	0	0	61	92	77	61	92	77
Kohistan	0	0	0	75	77	76	75	77	76
Haripur	100	100	100	100	91	96	100	92	96
Bannu	100	49	87	99	100	99	99	100	99
Lakki Marwat	100	79	90	90	87	89	91	86	89
Mardan	100	100	100	84	100	92	86	100	94
Swabi	100	100	100	90	100	96	91	100	96

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
Balochistan	90	88	89	86	86	86	88	87	87
Quetta	90	86	88	97	97	97	91	89	90
Pashin	100	100	100	100	100	100	100	100	100
Qilla Abdullah	100	51	84	90	88	89	92	85	89
Chaghi	100	0	100	72	64	67	74	64	68
Nushki	100	100	100	100	97	99	100	97	99
Sibbi	85	77	82	90	98	94	87	91	89
Ziarat	50	100	75	100	96	97	87	96	92
Kohlu	100	100	100	33	57	43	45	65	54
Dera Bugti	0	0	0	79	47	58	79	46	57
Haral	0	0	0	100	99	99	100	99	99
Kalat	80	100	95	100	91	94	97	93	94
Mastung	100	95	97	100	76	87	100	86	92
Khuzdar	100	82	91	76	69	74	80	73	77
Awaran	0	0	0	69	71	70	69	71	70
Kharan	0	0	0	67	91	75	67	91	75
Washuk	0	0	0	50	92	73	50	92	73
Lasbilla	73	58	65	43	69	60	60	64	62
Turbat	59	100	79	82	77	80	79	80	80
Gwadar	91	85	89	81	85	82	85	85	85
Panjgur	100	100	100	99	100	100	99	100	100
Zhob	100	100	100	96	95	95	97	96	96
Loralai	100	100	100	0	100	45	65	100	80
Barkhan	100	100	100	57	64	63	64	69	68
Musa Khel	0	0	0	0	0	0	0	0	0
Qilla Saifullah	100	79	85	0	0	0	35	79	57
Sherani	0	0	0	89	100	95	89	100	95
Nasirabad	100	100	100	88	91	89	88	92	90
Jafarabad	0	100	100	96	94	95	96	94	95
Jhal Magsi	0	100	100	80	73	77	80	76	78
Bolan	100	77	86	77	91	84	86	84	85