

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
Pakikstan	93	94	94	93	94	93	93	94	94
Punjab	93	95	93	93	95	94	93	95	94
Islamabad	100	100	100	100	100	100	100	100	100
Bahawalnager	40	73	64	97	93	95	92	89	91
Bahawalpur	92	97	94	88	95	93	90	96	93
Rahim Yar Khan	100	100	100	91	91	91	94	93	93
D.G.khan	96	97	97	100	100	100	100	100	100
Layyah	100	100	100	97	100	99	97	100	99
Muzaffar Garh	100	100	100	96	91	93	97	92	95
Rajanpur	92	78	86	100	97	99	99	94	96
Chinniot	100	0	74	100	100	100	100	96	98
Faisalabad	100	92	95	88	100	94	93	96	94
Jhang	100	93	97	84	93	88	89	93	91
T.T.Singh	100	100	100	97	96	96	97	97	97
Gujranwala	87	100	95	89	100	93	88	100	94
Gujrat	0	0	0	60	100	78	60	100	78
Hafizabad	100	0	100	71	68	69	74	68	71
Mandi Bahuddin	100	73	86	88	100	93	89	98	93
Narowal	100	90	96	91	95	93	93	94	93
Sialkot	83	91	86	94	90	92	90	90	90
Kasur	83	59	79	94	94	94	91	91	91
Lahore	90	97	93	95	81	90	91	95	93
Nankana Sahib	100	100	100	100	76	87	100	80	89
Sheikhupura	0	100	47	86	100	92	78	100	88
Khanewal	100	100	100	94	93	94	95	93	94
Lodhran	100	100	100	100	100	100	100	100	100
Multan	98	95	97	90	94	92	94	94	94
Vehari	89	100	94	91	97	95	91	98	95
Attock	100	65	86	100	100	100	100	87	94
Chakwal	100	100	100	100	100	100	100	100	100
Jehlum	100	100	100	0	100	100	100	100	100
Rawalpindi	93	82	90	100	100	100	97	94	96
Okara	86	100	94	100	100	100	99	100	99
Pakpatten	100	100	100	90	100	95	91	100	95
Sahiwal	100	100	100	92	100	96	93	100	97
Bhakhar	100	100	100	81	90	85	83	93	88
Khushab	100	100	100	100	88	93	100	90	95
Mianwali	0	100	100	91	85	89	91	88	90
Sargodha	90	98	94	91	94	93	91	94	93

NOTES:

1. Diarrhoea cases where a practitioner was consulted expressed as a percentage of all diarrhoea cases during past 30 days in children under 5 years.

2. Cases where a practitioner was consulted: For all the children that reported an episode of diarrhoea in the past 30 days the mothers were asked whether they consulted a practitioner for the ailment. The statistics reported here represent the percentage of cases where a practitioner was consulted.

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
1. DIARRHOEA CASES WHERE A PRACTITIONER WAS CONSULTED									
Sindh	95	95	95	94	95	95	95	95	95
Badin	0	0	0	78	91	87	75	88	83
Dadu	100	100	100	100	74	79	100	84	89
Hyderabad	100	91	97	56	90	71	92	91	92
Jamshoro	68	80	77	92	92	92	89	89	89
Matiali	100	100	100	81	100	88	82	100	89
Tando Allah Yar	74	78	75	100	100	100	91	95	92
Tando Muhd Khan	100	88	95	100	86	93	100	87	94
Thatta	100	66	88	78	88	85	82	87	85
Karachi	94	95	94	66	87	78	93	94	94
Jacobabad	100	89	95	100	100	100	100	99	99
Kashmore	100	100	100	100	100	100	100	100	100
Larkana	100	100	100	98	100	99	98	100	99
Shahdadkot	100	100	100	100	100	100	100	100	100
Shikarpur	100	79	91	91	95	93	93	92	93
Mir Pur Khas	100	100	100	94	95	95	95	96	95
Sanghar	100	100	100	98	97	97	98	97	98
Tharparkar	100	100	100	100	88	93	100	89	94
Umer Kot	100	100	100	100	100	100	100	100	100
Ghotki	100	100	100	100	100	100	100	100	100
Khairpur	74	87	82	94	94	94	89	92	91
Nowshero Feroze	100	100	100	96	95	96	96	96	96
Nawabshah	100	100	100	88	94	92	96	97	97
Sukkur	96	100	98	93	100	97	95	100	98

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
1. DIARRHOEA CASES WHERE A PRACTITIONER WAS CONSULTED									
Khyber Pakhtunkhwa	91	90	91	91	89	90	91	89	90
Bannu	100	100	100	100	94	97	100	94	97
Lakki Marwat	92	100	95	100	85	92	98	87	92
D.I.Khan	100	81	93	84	97	91	86	96	91
Tank	100	100	100	85	100	91	87	100	92
Abbottabad	100	0	100	100	100	100	100	100	100
Batagram	0	0	0	83	89	85	83	89	85
Haripur	85	100	92	86	87	86	86	88	87
Kohistan	0	0	0	100	100	100	100	100	100
Mansehra	100	100	100	97	79	89	97	80	90
Tor Garh	0	0	0	47	63	56	47	63	56
Hangu	49	100	79	100	94	97	96	95	95
Karak	100	100	100	88	91	90	89	91	90
Kohat	87	51	81	100	92	96	94	83	90
Bonair	0	0	0	92	94	93	92	94	93
Chitral	0	0	0	100	100	100	100	100	100
Lower Dir	0	100	100	100	91	95	100	92	95
Malakand	100	100	100	82	100	92	87	100	93
Shangla	0	0	0	100	100	100	100	100	100
Swat	100	65	78	100	82	93	100	77	90
Upper Dir	100	0	100	93	100	97	93	100	97
Mardan	100	100	100	86	85	85	88	86	87
Swabi	100	100	100	86	100	91	87	100	92
Charsada	79	91	84	74	100	88	75	98	87
Nowshera	100	100	100	94	87	91	96	91	94
Peshawar	87	87	87	94	71	82	91	76	84

TABLE 3.8: TREATMENT OF DIARRHOEA IN CHILDREN UNDER 5 YEARS

PROVINCE & DISTRICT	URBAN			RURAL			TOTAL		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
1. DIARRHOEA CASES WHERE A PRACTITIONER WAS CONSULTED									
Balochistan	97	96	96	92	93	93	93	94	94
Awaran	0	0	0	96	100	97	96	100	97
Kalat	100	100	100	100	100	100	100	100	100
Kharan	100	0	100	26	51	47	41	51	49
Khuzdar	95	100	96	100	100	100	98	100	99
Lasbilla	85	48	74	76	100	80	79	73	78
Mastung	100	100	100	97	100	99	98	100	99
Washuk	0	0	0	100	100	100	100	100	100
Gwadar	100	100	100	100	100	100	100	100	100
Turbat	100	100	100	70	87	77	74	89	81
Panjgur	0	0	0	0	0	0	0	0	0
Jafarabad	100	100	100	100	100	100	100	100	100
Jhal Magsi	0	0	0	84	100	94	84	100	94
Bolan	100	100	100	87	83	84	89	84	86
Nasirabad	0	0	0	100	100	100	100	100	100
Chaghi	0	0	0	68	68	68	68	68	68
Qilla Abdullah	54	67	60	78	91	87	75	89	85
Nushki	0	0	0	50	100	72	50	100	72
Pashin	100	100	100	88	93	89	88	93	90
Quetta	98	95	97	100	93	96	98	95	96
Dera Bugti	100	100	100	100	89	92	100	89	93
Harnai	45	69	60	57	58	58	57	58	58
Kohlu	100	100	100	100	100	100	100	100	100
Sibbi	100	100	100	100	97	98	100	98	98
Ziarat	0	0	0	100	96	97	100	96	97
Barkhan	100	67	80	100	100	100	100	96	98
Qilla Saifullah	100	100	100	94	100	97	95	100	98
Loralai	100	100	100	100	100	100	100	100	100
Musa Khel	100	100	100	100	63	75	100	68	80
Sheani	0	0	0	95	100	98	95	100	98
Zhob	100	100	100	100	85	90	100	86	91

NOTES:

1. The Panjgur district has been dropped from the scope of the survey due to law and order situation.