

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	18051	53.04	9247	8804	18051	67.96	95%
Sindh	6303	45.75	6838	6566	13404	50.71	88%
K.P.K	3929	47.25	1036	1340	2376	59.98	95%
Balochistan	759	24.93	553	815	1368	29.88	87%
F.A.T.A	305	21.40	134	171	305	33.76	93%
Gilgit Baltistan	32	7.38	131	241	372	40.03	100%
AJK	461	31.83	661	743	1404	46.53	94%
ICT	99	27.31	67	73	140	47.66	94%
Pakistan	29939	48	18667	18753	37420	60.00	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21090	61.95	27147	27322	54469	67.96	95%
Sindh	7374	53.33	8444	7783	16227	50.71	88%
K.P.K	4148	49.71	2773	2252	5025	59.98	96%
Balochistan	914	29.63	629	932	1561	29.88	88%
F.A.T.A	307	22.04	310	381	691	33.76	95%
Gilgit Baltistan	60	13.42	194	290	484	40.03	98%
AJK	457	30.87	758	811	1569	46.53	96%
ICT	120	32.02	87	115	202	47.66	91%
Pakistan	34470	54.67	40342	39886	80228	60.00	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19722	55	23348	23537	46885	69	95%
Sindh	6588	44	6898	6570	13468	51	88%
K.P.K	3880	44	5113	5313	10426	61	96%
Balochistan	823	26	765	1041	1806	30	88%
F.A.T.A	269	17	405	453	858	30	90%
Gilgit Baltistan	53	12	173	258	431	50	98%
AJK	437	28	618	648	1266	44	94%
ICT	92	23	170	165	335	44	93%
Pakistan	31864	48	37490	37985	75475	61	94%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	18051	52.29	23349	22199	44548	66.19	95%
Sindh	6303	39.45	6204	5946	12150	46.42	89%
K.P.K	3929	41.67	4673	5174	9847	58.23	95%
Balochistan	759	26.46	856	1095	1951	32.32	89%
F.A.T.A	305	14.40	326	309	635	24.38	91%
Gilgit Baltistan	32	6.50	104	147	251	34.39	96%
AJK	461	24.32	563	558	1121	39.13	94%
ICT	99	29.36	205	206	411	55.43	87%
Pakistan	29939	44.78	35280	35634	70914	57.00	94%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20382	57	24655	24445	49100	73	95%
Sindh	6853	46	7071	6887	13958	53	88%
K.P.K	4114	46	4868	5555	10423	62	95%
Balochistan	826	24	817	1096	1913	30	86%
F.A.T.A	281	18	358	422	780	28	93%
Gilgit Baltistan	40	9	166	228	394	50	100%
AJK	470	30	629	654	1283	45	95%
ICT	84	21	190	184	374	52	85%
Pakistan	33050	45	38754	39471	78225	57	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	23075	66	29076	29052	58128	88	95%
Sindh	7854	50	8376	7941	16317	55	89%
K.P.K	4250	48	5872	6418	12290	73	96%
Balochistan	1012	29	960	1283	2243	34	87%
F.A.T.A	393	25	492	596	1088	37	89%
Gilgit Baltistan	61	14	191	323	514	61	95%
AJK	573	36	734	903	1637	55	97%
ICT	117	28	240	236	476	61	89%
Pakistan	37335	56	45941	46752	92693	70	94%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20060	57	24396	23893	48289	73	94%
Sindh	6685	43	7289	6505	13794	47	87%
K.P.K	3705	42	5097	5497	10594	63	95%
Balochistan	926	27	910	1117	2027	31	85%
F.A.T.A	334	21	414	483	897	30	92%
Gilgit Baltistan	69	15	165	201	366	43	97%
AJK	470	30	653	644	1297	44	95%
ICT	100	24	183	163	346	45	90%
Pakistan	32349	48	39107	38503	77610	61	93%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19753	81	23574	23033	46607	70	94%
Sindh	6109	56	6859	6622	13481	46	90%
K.P.K	3229	52	4773	4960	9733	58	97%
Balochistan	868	36	954	1186	2140	33	85%
F.A.T.A	274	25	453	404	857	29	96%
Gilgit Baltistan	32	10	135	201	336	40	98%
AJK	410	38	600	608	1208	41	95%
ICT	96	34	176	189	365	47	54%
Pakistan	30771	66	37524	37203	74727	59	93%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2016**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20691	63	27298	26621	53919	81	93%
Sindh	6723	46	8279	8102	16381	54	87%
K.P.K	3272	39	4656	5219	9875	57	93%
Balochistan	877	26	991	1291	2282	34	82%
F.A.T.A	326	23	468	541	1009	34	93%
Gilgit Baltistan	30	7	146	206	352	40	91%
AJK	422	24	655	713	1368	38	94%
ICT	103	28	266	226	492	63	82%
Pakistan	32444	51	42759	42919	85678	66	92%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2016**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	23289	66	31472	30507	61979	93	94%
Sindh	8812	55	10149	9815	19964	66	87%
K.P.K	3912	43	6055	6484	12539	73	92%
Balochistan	1019	29	1198	1470	2668	40	85%
F.A.T.A	372	24	588	630	1218	41	87%
Gilgit Baltistan	86	19	336	486	822	94	97%
AJK	567	30	825	839	1664	46	95%
ICT	154	37	423	324	747	95	70%
Pakistan	38211	56	51046	50555	101601	79	92%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2016**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20070	57	27049	25522	52571	79	94%
Sindh	7563	48	8589	7735	16324	55	87%
K.P.K	3539	39	5654	6010	11664	68	92%
Balochistan	1026	29	1160	1383	2543	38	84%
F.A.T.A	321	20	546	505	1051	35	84%
Gilgit Baltistan	71	15	395	519	914	105	100%
AJK	456	24	684	680	1364	38	95%
ICT	139	34	314	266	580	74	84%
Pakistan	33185	49	44391	42620	87011	68	92%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2016**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19351	55	25512	24324	49836	75	93%
Sindh	6794	43	7886	7404	15290	51	84%
K.P.K	3250	36	5026	5158	10184	59	95%
Balochistan	1014	28	1230	1418	2648	39	82%
F.A.T.A	237	15	422	426	848	28	86%
Gilgit Baltistan	62	13	316	375	691	79	95%
AJK	459	24	649	618	1267	35	94%
ICT	111	27	236	212	448	57	59%
Pakistan	31278	46	41277	39935	81212	63	91%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases

\*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2017**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21016	58	27270	25735	53005	78	94%
Sindh	7574	47	8623	8035	16658	55	90%
K.P.K	3654	39	4846	5380	10226	58	95%
Balochistan	1017	28	1170	1360	2530	37	85%
F.A.T.A	320	20	384	463	847	28	109%
Gilgit Baltistan	71	15	232	326	558	63	96%
AJK	481	25	679	664	1343	37	91%
ICT	163	39	269	257	526	66	79%
Pakistan	34296	49	43473	42220	85693	65	93%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2017**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20733	58	27392	25658	53050	78	NA
Sindh	7726	48	9067	8182	17249	57	NA
K.P.K	3422	37	5268	5230	10498	60	NA
Balochistan	839	23	1165	1280	2445	36	NA
F.A.T.A	313	19	501	465	966	32	NA
Gilgit Baltistan	90	19	314	376	690	78	NA
AJK	537	28	712	786	1498	41	NA
ICT	148	35	308	296	604	76	NA
Pakistan	33808	49	44727	42273	87000	66	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
Period: 3<sup>rd</sup> Quarter, 2017

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	22018	61	29707	27584	57291	84	NA
Sindh	8582	53	10828	9406	20234	66	NA
K.P.K	3477	37	5836	5736	11572	66	NA
Balochistan	1131	31	1230	1529	2759	40	NA
F.A.T.A	367	23	634	620	1254	41	NA
Gilgit Baltistan	65	14	369	392	761	86	NA
AJK	567	29	742	757	1499	41	NA
ICT	148	35	274	274	548	69	NA
Pakistan	36355	52	49620	46298	95918	73	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
Period: 4<sup>th</sup> Quarter, 2017

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21668	61	29015	27518	56533	85	NA
Sindh	7502	47	9414	8213	17627	58	NA
K.P.K	3212	35	5260	5036	10296	60	NA
Balochistan	1011	28	1165	1427	2592	37	NA
F.A.T.A	260	16	505	484	989	33	NA
Gilgit Baltistan	50	11	293	344	637	72	NA
AJK	437	23	575	626	1201	33	NA
ICT	101	24	204	196	400	50	NA
Pakistan	34241	50	46431	43844	90275	70	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad



**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21527	54	29024	27052	56076	76	NA
Sindh	8720	52	10547	9386	19933	64	NA
K.P.K	3736	42	5381	5315	10696	65	NA
Balochistan	1060	24	1221	1397	2618	32	NA
F.A.T.A	329	18	585	569	1154	34	NA
Gilgit Baltistan	55	11	278	392	670	71	NA
AJK	501	34	650	697	1347	49	NA
ICT	139	19	246	203	449	34	NA
Pakistan	36067	49	47932	45011	92943	67	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21667	83	29261	27178	56439	77	NA
Sindh	8059	70	9786	8694	18480	59	NA
K.P.K	3324	57	5446	5494	10940	66	NA
Balochistan	967	31	1213	1332	2545	31	NA
F.A.T.A	326	26	587	566	1153	34	NA
Gilgit Baltistan	118	34	375	463	838	89	NA
AJK	546	54	700	653	1353	49	NA
ICT	153	32	251	212	463	35	NA
Pakistan	35160	71	47619	44592	92211	67	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases

\*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21596	81	27893	26551	54444	74%	NA
Sindh	7868	68	9706	8355	18061	58%	NA
K.P.K	3418	57	5795	5578	11373	69%	NA
Balochistan	959	31	1196	1314	2510	30%	NA
F.A.T.A	309	26	635	558	1193	36%	NA
Gilgit Baltistan	88	25	342	374	716	76%	NA
AJK	542	53	720	627	1347	49%	NA
ICT	158	32	283	198	481	36%	NA
Pakistan	34938	70	46570	43555	90125	65%	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19786	29	26283	24422	50705	69%	NA
Sindh	7728	25	9675	8375	18050	56%	NA
KP	3150	21	5349	4986	10335	62%	NA
Balochistan	890	12	1172	1315	2487	30%	NA
F.A.T.A	279	9	511	528	1039	31%	NA
Gilgit Baltistan	83	9	268	331	599	63%	NA
AJK	431	20	592	506	1098	40%	NA
ICT	117	12	221	202	423	32%	NA
Pakistan	32464	25	44071	40665	84736	61%	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad