

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	18051	53.04	9247	8804	18051	67.96	95%
Sindh	6303	45.75	6838	6566	13404	50.71	88%
K.P.K	3929	47.25	1036	1340	2376	59.98	95%
Balochistan	759	24.93	553	815	1368	29.88	87%
F.A.T.A	305	21.40	134	171	305	33.76	93%
Gilgit Baltistan	32	7.38	131	241	372	40.03	100%
AJK	461	31.83	661	743	1404	46.53	94%
ICT	99	27.31	67	73	140	47.66	94%
Pakistan	29939	48	18667	18753	37420	60.00	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21090	61.95	27147	27322	54469	67.96	95%
Sindh	7374	53.33	8444	7783	16227	50.71	88%
K.P.K	4148	49.71	2773	2252	5025	59.98	96%
Balochistan	914	29.63	629	932	1561	29.88	88%
F.A.T.A	307	22.04	310	381	691	33.76	95%
Gilgit Baltistan	60	13.42	194	290	484	40.03	98%
AJK	457	30.87	758	811	1569	46.53	96%
ICT	120	32.02	87	115	202	47.66	91%
Pakistan	34470	54.67	40342	39886	80228	60.00	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19722	55	23348	23537	46885	69	95%
Sindh	6588	44	6898	6570	13468	51	88%
K.P.K	3880	44	5113	5313	10426	61	96%
Balochistan	823	26	765	1041	1806	30	88%
F.A.T.A	269	17	405	453	858	30	90%
Gilgit Baltistan	53	12	173	258	431	50	98%
AJK	437	28	618	648	1266	44	94%
ICT	92	23	170	165	335	44	93%
Pakistan	31864	48	37490	37985	75475	61	94%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2014**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	18051	52.29	23349	22199	44548	66.19	95%
Sindh	6303	39.45	6204	5946	12150	46.42	89%
K.P.K	3929	41.67	4673	5174	9847	58.23	95%
Balochistan	759	26.46	856	1095	1951	32.32	89%
F.A.T.A	305	14.40	326	309	635	24.38	91%
Gilgit Baltistan	32	6.50	104	147	251	34.39	96%
AJK	461	24.32	563	558	1121	39.13	94%
ICT	99	29.36	205	206	411	55.43	87%
Pakistan	29939	44.78	35280	35634	70914	57.00	94%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20382	57	24655	24445	49100	73	95%
Sindh	6853	46	7071	6887	13958	53	88%
K.P.K	4114	46	4868	5555	10423	62	95%
Balochistan	826	24	817	1096	1913	30	86%
F.A.T.A	281	18	358	422	780	28	93%
Gilgit Baltistan	40	9	166	228	394	50	100%
AJK	470	30	629	654	1283	45	95%
ICT	84	21	190	184	374	52	85%
Pakistan	33050	45	38754	39471	78225	57	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	23075	66	29076	29052	58128	88	95%
Sindh	7854	50	8376	7941	16317	55	89%
K.P.K	4250	48	5872	6418	12290	73	96%
Balochistan	1012	29	960	1283	2243	34	87%
F.A.T.A	393	25	492	596	1088	37	89%
Gilgit Baltistan	61	14	191	323	514	61	95%
AJK	573	36	734	903	1637	55	97%
ICT	117	28	240	236	476	61	89%
Pakistan	37335	56	45941	46752	92693	70	94%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme

NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20060	57	24396	23893	48289	73	94%
Sindh	6685	43	7289	6505	13794	47	87%
K.P.K	3705	42	5097	5497	10594	63	95%
Balochistan	926	27	910	1117	2027	31	85%
F.A.T.A	334	21	414	483	897	30	92%
Gilgit Baltistan	69	15	165	201	366	43	97%
AJK	470	30	653	644	1297	44	95%
ICT	100	24	183	163	346	45	90%
Pakistan	32349	48	39107	38503	77610	61	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2015**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19753	81	23574	23033	46607	70	94%
Sindh	6109	56	6859	6622	13481	46	90%
K.P.K	3229	52	4773	4960	9733	58	97%
Balochistan	868	36	954	1186	2140	33	85%
F.A.T.A	274	25	453	404	857	29	96%
Gilgit Baltistan	32	10	135	201	336	40	98%
AJK	410	38	600	608	1208	41	95%
ICT	96	34	176	189	365	47	54%
Pakistan	30771	66	37524	37203	74727	59	93%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2016**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20691	63	27298	26621	53919	81	93%
Sindh	6723	46	8279	8102	16381	54	87%
K.P.K	3272	39	4656	5219	9875	57	93%
Balochistan	877	26	991	1291	2282	34	82%
F.A.T.A	326	23	468	541	1009	34	93%
Gilgit Baltistan	30	7	146	206	352	40	91%
AJK	422	24	655	713	1368	38	94%
ICT	103	28	266	226	492	63	82%
Pakistan	32444	51	42759	42919	85678	66	92%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2016**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	23289	66	31472	30507	61979	93	94%
Sindh	8812	55	10149	9815	19964	66	87%
K.P.K	3912	43	6055	6484	12539	73	92%
Balochistan	1019	29	1198	1470	2668	40	85%
F.A.T.A	372	24	588	630	1218	41	87%
Gilgit Baltistan	86	19	336	486	822	94	97%
AJK	567	30	825	839	1664	46	95%
ICT	154	37	423	324	747	95	70%
Pakistan	38211	56	51046	50555	101601	79	92%

CDR : Case Deduction Rate

SS+ Sputum Smear Positive

\*Available One Year Lag \*\* Based on revised WHO estimates.

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2016**

Provinces/Regions	TB Cases NSS+	CDR SS+**	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20070	57	27049	25522	52571	79	94%
Sindh	7563	48	8589	7735	16324	55	87%
K.P.K	3539	39	5654	6010	11664	68	92%
Balochistan	1026	29	1160	1383	2543	38	84%
F.A.T.A	321	20	546	505	1051	35	84%
Gilgit Baltistan	71	15	395	519	914	105	100%
AJK	456	24	684	680	1364	38	95%
ICT	139	34	314	266	580	74	84%
Pakistan	33185	49	44391	42620	87011	68	92%

CDR : Case Deduction Rate  
SS+ Sputum Smear Positive

Source: National TB Control Programme  
NIH, Islamabad

\*Available One Year Lag \*\* Based on revised WHO estimates.

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2016**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19351	55	25512	24324	49836	75	93%
Sindh	6794	43	7886	7404	15290	51	84%
K.P.K	3250	36	5026	5158	10184	59	95%
Balochistan	1014	28	1230	1418	2648	39	82%
F.A.T.A	237	15	422	426	848	28	86%
Gilgit Baltistan	62	13	316	375	691	79	95%
AJK	459	24	649	618	1267	35	94%
ICT	111	27	236	212	448	57	59%
Pakistan	31278	46	41277	39935	81212	63	91%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases

\*Available One Year Lag

Source: National TB Control Programme  
NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2017**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21016	58	27270	25735	53005	78	94%
Sindh	7574	47	8623	8035	16658	55	90%
KP	3654	39	4846	5380	10226	58	95%
Balochistan	1017	28	1170	1360	2530	37	85%
F.A.T.A	320	20	384	463	847	28	109%
Gilgit Baltistan	71	15	232	326	558	63	96%
AJK	481	25	679	664	1343	37	91%
ICT	163	39	269	257	526	66	79%
Pakistan	34296	49	43473	42220	85693	65	93%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2017**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	20733	58	27392	25658	53050	78	94%
Sindh	7726	48	9067	8182	17249	57	90%
KP	3422	37	5268	5230	10498	60	95%
Balochistan	839	23	1165	1280	2445	36	85%
F.A.T.A	313	19	501	465	966	32	92%
Gilgit Baltistan	90	19	314	376	690	78	97%
AJK	537	28	712	786	1498	41	94%
ICT	148	35	308	296	604	76	79%
Pakistan	33808	49	44727	42273	87000	66	93%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases

\*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2017**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	22018	61	29707	27584	57291	84	94%
Sindh	8582	53	10828	9406	20234	66	87%
KP	3477	37	5836	5736	11572	66	96%
Balochistan	1131	31	1230	1529	2759	40	97%
F.A.T.A	367	23	634	620	1254	41	85%
Gilgit Baltistan	65	14	369	392	761	86	98%
AJK	567	29	742	757	1499	41	94%
ICT	148	35	274	274	548	69	77%
Pakistan	36355	52	49620	46298	95918	73	92%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2017**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21668	61	29015	27518	56533	85	94%
Sindh	7502	47	9414	8213	17627	58	88%
KP	3212	35	5260	5036	10296	60	96%
Balochistan	1011	28	1165	1427	2592	37	84%
F.A.T.A	260	16	505	484	989	33	96%
Gilgit Baltistan	50	11	293	344	637	72	99%
AJK	437	23	575	626	1201	33	92%
ICT	101	24	204	196	400	50	77%
Pakistan	34241	50	46431	43844	90275	70	93%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad



**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21527	54	29024	27052	56076	76	92%
Sindh	8720	52	10547	9386	19933	64	87%
KP	3736	42	5381	5315	10696	65	96%
Balochistan	1060	24	1221	1397	2618	32	87%
F.A.T.A	329	18	585	569	1154	34	95%
Gilgit Baltistan	55	11	278	392	670	71	97%
AJK	501	34	650	697	1347	49	93%
ICT	139	19	246	203	449	34	76%
Pakistan	36067	49	47932	45011	92943	67	91%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21667	83	29261	27178	56439	77	90%
Sindh	8059	70	9786	8694	18480	59	88%
KP	3324	57	5446	5494	10940	66	96%
Balochistan	967	31	1213	1332	2545	31	90%
F.A.T.A	326	26	587	566	1153	34	103%
Gilgit Baltistan	118	34	375	463	838	89	97%
AJK	546	54	700	653	1353	49	94%
ICT	153	32	251	212	463	35	81%
Pakistan	35160	71	47619	44592	92211	67	90%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases

\*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	21596	81	27893	26551	54444	74%	106%
Sindh	7868	68	9706	8355	18061	58%	111%
KP	3418	57	5795	5578	11373	69%	104%
Balochistan	959	31	1196	1314	2510	30%	98%
F.A.T.A	309	26	635	558	1193	36%	115%
Gilgit Baltistan	88	25	342	374	716	76%	98%
AJK	542	53	720	627	1347	49%	97%
ICT	158	32	283	198	481	36%	106%
Pakistan	34938	70	46570	43555	90125	65%	106%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2018**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19786	29	26283	24422	50705	69%	92%
Sindh	7728	25	9675	8375	18050	56%	83%
KP	3150	21	5349	4986	10335	62%	95%
Balochistan	890	12	1172	1315	2487	30%	85%
F.A.T.A	279	9	511	528	1039	31%	89%
Gilgit Baltistan	83	9	268	331	599	63%	97%
AJK	431	20	592	506	1098	40%	93%
ICT	117	12	221	202	423	32%	77%
Pakistan	32464	25	44071	40665	84736	61%	89%

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases

\*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 1<sup>st</sup> Quarter, 2019**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19619	50%	24682	23275	47957	65%	NA
Sindh	8361	49%	9999	8735	18734	58%	NA
KP	3628	41%	4907	5057	9964	60%	NA
Balochistan	1065	24%	1167	1440	2607	32%	NA
F.A.T.A	283	16%	495	514	1009	30%	NA
Gilgit Baltistan	71	14%	214	341	555	59%	NA
AJK	504	33%	621	595	1216	43%	NA
ICT	102	14%	192	158	350	26%	NA
Pakistan	33633	45%	42277	40115	82392	59%	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 2<sup>nd</sup> Quarter, 2019**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19877	50%	25056	23606	48662	66%	NA
Sindh	8855	52%	10263	8617	18880	59%	NA
KP	3618	41%	5555	5459	11014	66%	NA
Balochistan	1083	24%	1261	1462	2723	33%	NA
F.A.T.A	329	18%	620	576	1196	36%	NA
Gilgit Baltistan	104	21%	270	427	697	73%	NA
AJK	652	43%	728	720	1448	52%	NA
ICT	231	32%	440	335	775	58%	NA
Pakistan	34749	47%	44193	41202	85395	61%	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 3<sup>rd</sup> Quarter, 2019**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	19049	40%	24632	22610	47242	66%	NA
Sindh	8403	46%	10015	8340	18355	59%	NA
KP	3319	31%	5638	5236	10874	66%	NA
Balochistan	1116	38%	1369	1548	2917	33%	NA
F.A.T.A	329	27%	620	576	1196	36%	NA
Gilgit Baltistan	93	12%	352	400	752	73%	NA
AJK	545	40%	722	627	1349	53%	NA
ICT	99	28%	189	160	349	58%	NA
Pakistan	32953	40%	43537	39497	83034	62%	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad

**TUBERCULOSIS REPORT (FTI)**  
**Period: 4<sup>th</sup> Quarter, 2019**

Provinces/Regions	TB Cases B+ (N+R)	CDR B+	TB All Types			CDR Total	% Treatment Success Rate* (TSR)
			Male	Female	Total		
Punjab	43797	43%	23153	20644	43797	59%	NA
Sindh	18726	46%	10357	8369	18726	58%	NA
KP	9027	25%	4632	4395	9027	44%	NA
Balochistan	2843	25%	1363	1480	2843	34%	NA
F.A.T.A	970	14%	482	488	970	29%	NA
Gilgit Baltistan	610	19%	269	341	610	65%	NA
AJK	1087	30%	575	512	1087	40%	NA
ICT	372	14%	208	164	372	27%	NA
Pakistan	77432	39%	41039	36393	77432	54%	NA

CDR : Case Deduction Rate

B+ Bacteriologically positive N+ New Case

R: Relapse Cases \*Available One Year Lag

Source: National TB Control Programme  
 NIH, Islamabad