TABLE 3.17 PREGNANT WOMEN THAT HAVE RECEIVED TETANUS TOXOID INJECTION

	PERCENTAGE OF PREGNANT WOMEN											
	WOMEN WHO HAD RECEIVED ATLEAST ONE TETANUS TOXOID INJECTION											
PROVINCE	2001-02 PIHS			2004-05 PSLM			2005-06 PSLM					
	URBAN	RURAL	OVERALL	URBAN	RURAL	OVERALL	URBAN	RURAL	OVERALL			
PAKISTAN:	69	38	46	67	41	51	80	55	62			
Punjab	73	46	53	72	54	62	82	59	66			
Sindh	68	30	43	68	34	48	81	48	62			
NWFP	59	31	35	58	40	45	69	60	61			
Balochistan	39	12	17	46	17	25	52	18	25			

PROVINCE	Prote	PROTE ected during pregnancy		LAST PREGNANCY 2005-06 PSLM  Given two or more IT in last pregnancy			
	URBAN	RURAL	OVERALL	URBAN	RURAL	OVERALL	
PAKISTAN	77	53	60	69	48	55	
Punjab	80	57	63	71	51	57	
Sindh	78	46	60	70	44	55	
NWFP Baluchistan	67 46	58 16	59 23	65 42	56 16	57 21	

## **NOTES:**

- 1. Ever married women aged 15-49 years who had a birth in the last three years and received a tetanus toxoid injection during the last pregnancy, expressed as a percentage of all currently married women aged 15-49 years who had a birth in the last three years.
- 2. Protected during last pregnancy: Ever married women aged 15-49 years who received either two or more tetanus toxoid vaccinations during their last pregnancy OR received five or more TT vaccinations over the last and previous pregnancies, expressed as a percentage of all ever married women aged 15-49 years who had a birth in the last three years.
- 3. Given two or more TT in last pregnancy: Ever married women aged 15-49 years who received two or more tetanus toxoid vaccinations during their last pregnancy expressed as a percentage of all ever married women aged 15-49 years who had a birth in the last three years.