TABLE 3.7 DIARRHROEA CASES: SEVERITY OF ILLNESS

FREQUENCY		PERCENTAGE OF DIARRHEA CASES								
		URBAN AREAS			RURAL AREAS			вотн		
		MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH
_										
	AVERAGE	NUMBER OF								
3		20	20	20	15	16	16	16	17	17
4		34	35	35	33	37	35	33	37	35
5		18	21	20	22	24	23	22	23	22
6		19	15	17	15	14	14	16	14	15
7+		9	9	9	14	9	12	13	9	11
TO	TAL	100	100	100	100	100	100	100	100	100
									<u>-</u>	
2.	AVERAGE	NUMBER OF	MOTIONS	PER DAY:	- 2001-	·02				
3		12	13	12	9	11	10	9	11	10
4		32	27	30	31	30	30	31	29	30
5		24	24	24	23	22	22	23	22	23
6		12	13	13	16	15	16	15	14	15
7+		20	23	22	22	22	22	21	22	22
TO	TAL	100	100	100	100	100	100	100	100	100
		•			Į.					
2.	AVERAGE	NUMBER OF	MOTIONS	PER DAY:	- 2005-	-06				
3		17	21	18	19	18	19	19	18	19
4		22	19	21	15	17	16	17	18	17
5		16	13	15	17	19	18	17	17	17
6		5	9	7	11	11	11	9	10	10
7+		4.0	39	39	38	36	37	39	36	38
	TAL	100	100	100	100	100	100	100	100	100
-0		200	_00	200		200	_00	_50	200	_00

## NOTES:

- 1. Children who had the number of motions per day indicated, expressed as a percentage of all children aged less than 5 years that suffered from diarrhoea during the past 30 days.
- 2. Totals may not add to 100 because of rounding.