TABLE 4.9 COMMONLY KNOWN METHODS OF FAMILY PLANNING – BY REGION AND FAMILY PLANNING METHOD

			CH PARTICULAR		
REGION AND FAMILY PLANNING METHOD	MARRIED WOMEN 15-49 YEARS KNOWING ABOUT FAMILY PLANNING 2005-06 PSIM				
PHANNING METHOD	PUNJAB	SINDH	NWFP	BALOCHISTAN	PAKISTAN
	FORDAD	SINDII	MEE	DALOCHIDIAN	PARISIAN
URBAN:					
Pill	99	100	100	89	99
Injection	99	99	99	81	98
Tubal ligation	96	94	96	58	94
IUD	95	92	94	67	93
Condom	86	95	95	66	89
Implant	29	31	18	25	29
Male Sterilization	72	75	56	30	71
Rhythm	58	33	36	16	46
Withdrawal	78	54	72	31	67
Others	11	21	7	17	14
RURAL:					
Pill	98	99	98	58	96
Injection	97	97	97	48	94
Tubal ligation	95	98	90	30	90
IUD	90	95	84	41	87
Condom	74	79	91	35	76
Implant	26	26	9	12	22
Male Sterilization	61	58	43	9	54
Rhythm	45	12	25	2	32
Withdrawal	71	29	63	12 11	57
Others	9	31	4	11	13
OVERALL:					
Pill	98	99	98	64	97
Injection	98	98	97	56	95
Tubal ligation	95	96	91	36	92
IUD	92	94	85	46	89
Condom	78	87	91	42	80
Implant	27	28	11	15	24
Male Sterilization	64	66	45	14	59
Rhythm	49	22	27	5	37
Withdrawal	73	40	64	16	61
Others	10	26	4	12	13

## **NOTES:**

- 1. Women knowing about the specified family planning method expressed as a percentage of all currently married women aged 15-49 years that know about any method of family planning.
- 2. Know about family planning method: In the PSLM 2005-06 respondents could report up to 10 methods of family planning that they knew about (Q. 1 in Section 4, Part C in the questionnaire