

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Pakistan | | | |
| Private Dispensary/Hospital | 81 | 69 | 73 |
| Govt. hospital/dispensary | 14 | 14 | 14 |
| RHC/BHU | 1 | 5 | 4 |
| LHW | 0 | 2 | 1 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 2 | 5 | 4 |
| Hakeem/Homoeopathic/Herbalist | 1 | 3 | 3 |
| Other | 0 | 1 | 1 |
| Punjab | | | |
| Private Dispensary/Hospital | 82 | 75 | 77 |
| Govt. hospital/dispensary | 12 | 8 | 9 |
| RHC/BHU | 0 | 3 | 2 |
| LHW | 1 | 3 | 2 |
| LHV/Nurse | 0 | 1 | 0 |
| Chemist/Pharmacy | 3 | 6 | 5 |
| Hakeem/Homoeopathic/Herbalist | 2 | 4 | 4 |
| Other | 0 | 1 | 1 |
| Islamabad | | | |
| Private Dispensary/Hospital | 76 | 39 | 52 |
| Govt. hospital/dispensary | 10 | 27 | 21 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 14 | 33 | 27 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Attock | | | |
| Private Dispensary/Hospital | 82 | 58 | 63 |
| Govt. hospital/dispensary | 18 | 0 | 4 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 42 | 32 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Rawalpindi | | | |
| Private Dispensary/Hospital | 78 | 64 | 73 |
| Govt. hospital/dispensary | 22 | 36 | 27 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Jhelum | | | |
| Private Dispensary/Hospital | 61 | 0 | 61 |
| Govt. hospital/dispensary | 39 | 0 | 39 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Chakwal | | | |
| Private Dispensary/Hospital | 61 | 41 | 44 |
| Govt. hospital/dispensary | 39 | 0 | 5 |
| RHC/BHU | 0 | 39 | 34 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 20 | 18 |
| Other | 0 | 0 | 0 |
| Sargodha | | | |
| Private Dispensary/Hospital | 89 | 48 | 55 |
| Govt. hospital/dispensary | 6 | 5 | 5 |
| RHC/BHU | 0 | 5 | 4 |
| LHW | 0 | 10 | 8 |
| LHV/Nurse | 0 | 8 | 6 |
| Chemist/Pharmacy | 5 | 9 | 8 |
| Hakeem/Homoeopathic/Herbalist | 0 | 15 | 12 |
| Other | 0 | 0 | 0 |
| Bhakhar | | | |
| Private Dispensary/Hospital | 100 | 72 | 78 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 28 | 22 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Khushab | | | |
| Private Dispensary/Hospital | 100 | 87 | 88 |
| Govt. hospital/dispensary | 0 | 3 | 3 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 10 | 9 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Mianwali | | | |
| Private Dispensary/Hospital | 100 | 92 | 93 |
| Govt. hospital/dispensary | 0 | 5 | 4 |
| RHC/BHU | 0 | 4 | 3 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Faisalabad | | | |
| Private Dispensary/Hospital | 78 | 73 | 76 |
| Govt. hospital/dispensary | 10 | 24 | 16 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 2 | 2 | 2 |
| Hakeem/Homoeopathic/Herbalist | 10 | 2 | 6 |
| Other | 0 | 0 | 0 |
| Jhang | | | |
| Private Dispensary/Hospital | 88 | 86 | 86 |
| Govt. hospital/dispensary | 10 | 9 | 9 |
| RHC/BHU | 0 | 1 | 1 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 2 | 5 | 4 |
| Other | 0 | 0 | 0 |
| T.T.Singh | | | |
| Private Dispensary/Hospital | 90 | 89 | 89 |
| Govt. hospital/dispensary | 10 | 5 | 6 |
| RHC/BHU | 0 | 2 | 2 |
| LHW | 0 | 2 | 2 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 2 | 2 |
| Other | 0 | 0 | 0 |
| Gujranwala | | | |
| Private Dispensary/Hospital | 59 | 71 | 69 |
| Govt. hospital/dispensary | 26 | 29 | 28 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 16 | 0 | 3 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Gujrat | | | |
| Private Dispensary/Hospital | 100 | 0 | 66 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 100 | 34 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Sialkot | | | |
| Private Dispensary/Hospital | 98 | 100 | 99 |
| Govt. hospital/dispensary | 2 | 0 | 1 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Hafizabad | | | |
| Private Dispensary/Hospital | 92 | 92 | 92 |
| Govt. hospital/dispensary | 8 | 8 | 8 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Mandi Bahuddin | | | |
| Private Dispensary/Hospital | 80 | 93 | 91 |
| Govt. hospital/dispensary | 20 | 0 | 3 |
| RHC/BHU | 0 | 7 | 6 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Narowal | | | |
| Private Dispensary/Hospital | 90 | 100 | 97 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 10 | 0 | 3 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Lahore | | | |
| Private Dispensary/Hospital | 74 | 78 | 74 |
| Govt. hospital/dispensary | 22 | 15 | 21 |
| RHC/BHU | 0 | 7 | 1 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 3 | 0 | 2 |
| Hakeem/Homoeopathic/Herbalist | 1 | 0 | 1 |
| Other | 0 | 0 | 0 |
| Kasur | | | |
| Private Dispensary/Hospital | 92 | 97 | 96 |
| Govt. hospital/dispensary | 8 | 2 | 3 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 2 | 1 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Okara | | | |
| Private Dispensary/Hospital | 93 | 87 | 89 |
| Govt. hospital/dispensary | 7 | 12 | 10 |
| RHC/BHU | 0 | 1 | 1 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Sheikhupura | | | |
| Private Dispensary/Hospital | 72 | 88 | 83 |
| Govt. hospital/dispensary | 13 | 0 | 4 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 6 | 4 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 16 | 0 | 5 |
| Hakeem/Homoeopathic/Herbalist | 0 | 6 | 4 |
| Other | 0 | 0 | 0 |
| Nankana Sahib | | | |
| Private Dispensary/Hospital | 95 | 80 | 84 |
| Govt. hospital/dispensary | 5 | 0 | 1 |
| RHC/BHU | 0 | 20 | 14 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Vehari | | | |
| Private Dispensary/Hospital | 66 | 66 | 66 |
| Govt. hospital/dispensary | 16 | 4 | 6 |
| RHC/BHU | 4 | 6 | 5 |
| LHW | 14 | 19 | 19 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 1 | 1 |
| Hakeem/Homoeopathic/Herbalist | 0 | 1 | 1 |
| Other | 0 | 2 | 1 |
| Sahiwal | | | |
| Private Dispensary/Hospital | 100 | 74 | 77 |
| Govt. hospital/dispensary | 0 | 18 | 16 |
| RHC/BHU | 0 | 3 | 3 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 5 | 4 |
| Multan | | | |
| Private Dispensary/Hospital | 80 | 81 | 80 |
| Govt. hospital/dispensary | 8 | 1 | 4 |
| RHC/BHU | 0 | 2 | 2 |
| LHW | 1 | 4 | 3 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 5 | 4 | 5 |
| Hakeem/Homoeopathic/Herbalist | 5 | 4 | 5 |
| Other | 0 | 3 | 2 |
| Khanewal | | | |
| Private Dispensary/Hospital | 56 | 82 | 78 |
| Govt. hospital/dispensary | 21 | 5 | 7 |
| RHC/BHU | 0 | 2 | 2 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 9 | 0 | 1 |
| Hakeem/Homoeopathic/Herbalist | 5 | 7 | 7 |
| Other | 9 | 4 | 5 |
| Pakpatten | | | |
| Private Dispensary/Hospital | 86 | 88 | 87 |
| Govt. hospital/dispensary | 9 | 6 | 7 |
| RHC/BHU | 0 | 3 | 2 |
| LHW | 0 | 4 | 3 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 5 | 0 | 1 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Lodhran | | | |
| Private Dispensary/Hospital | 82 | 85 | 85 |
| Govt. hospital/dispensary | 18 | 7 | 9 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 8 | 6 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| D.G.khan | | | |
| Private Dispensary/Hospital | 100 | 61 | 65 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 4 | 3 |
| Chemist/Pharmacy | 0 | 7 | 7 |
| Hakeem/Homoeopathic/Herbalist | 0 | 28 | 25 |
| Other | 0 | 1 | 1 |
| Rajanpur | | | |
| Private Dispensary/Hospital | 92 | 87 | 88 |
| Govt. hospital/dispensary | 8 | 2 | 2 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 6 | 5 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 4 | 3 |
| Other | 0 | 2 | 1 |
| Layyah | | | |
| Private Dispensary/Hospital | 95 | 58 | 64 |
| Govt. hospital/dispensary | 5 | 12 | 11 |
| RHC/BHU | 0 | 14 | 11 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 12 | 10 |
| Hakeem/Homoeopathic/Herbalist | 0 | 5 | 4 |
| Other | 0 | 0 | 0 |
| Muzaffar Garh | | | |
| Private Dispensary/Hospital | 89 | 45 | 47 |
| Govt. hospital/dispensary | 11 | 16 | 16 |
| RHC/BHU | 0 | 2 | 2 |
| LHW | 0 | 1 | 1 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 31 | 29 |
| Hakeem/Homoeopathic/Herbalist | 0 | 4 | 3 |
| Other | 0 | 1 | 1 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Bahawalpur | | | |
| Private Dispensary/Hospital | 93 | 82 | 85 |
| Govt. hospital/dispensary | 4 | 9 | 8 |
| RHC/BHU | 0 | 2 | 1 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 4 | 3 |
| Hakeem/Homoeopathic/Herbalist | 3 | 1 | 2 |
| Other | 0 | 3 | 2 |
| Bahawalnager | | | |
| Private Dispensary/Hospital | 71 | 56 | 60 |
| Govt. hospital/dispensary | 8 | 5 | 6 |
| RHC/BHU | 3 | 6 | 5 |
| LHW | 2 | 0 | 1 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 17 | 29 | 25 |
| Hakeem/Homoeopathic/Herbalist | 0 | 4 | 3 |
| Other | 0 | 0 | 0 |
| Rahim Yar Khan | | | |
| Private Dispensary/Hospital | 78 | 83 | 82 |
| Govt. hospital/dispensary | 10 | 5 | 6 |
| RHC/BHU | 0 | 8 | 6 |
| LHW | 4 | 3 | 3 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 5 | 1 | 2 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 5 | 0 | 1 |

NOTES:

- 1.Column 1: Diarrhoea cases in which the practitioner indicated was consulted for treatment of diarrhoea expressed as a percentage of all diarrhoea consultations.
- 2.Sum may not add up to hundred due to rounding off.

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Sindh | | | |
| Private Dispensary/Hospital | 85 | 67 | 75 |
| Govt. hospital/dispensary | 11 | 18 | 15 |
| RHC/BHU | 3 | 11 | 7 |
| LHW | 0 | 1 | 1 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 1 | 2 | 2 |
| Hakeem/Homoeopathic/Herbalist | 0 | 1 | 1 |
| Other | 0 | 1 | 0 |
| Khairpur | | | |
| Private Dispensary/Hospital | 45 | 47 | 47 |
| Govt. hospital/dispensary | 0 | 10 | 8 |
| RHC/BHU | 55 | 36 | 40 |
| LHW | 0 | 4 | 3 |
| LHV/Nurse | 0 | 3 | 2 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Sukkur | | | |
| Private Dispensary/Hospital | 72 | 62 | 68 |
| Govt. hospital/dispensary | 19 | 15 | 17 |
| RHC/BHU | 0 | 16 | 6 |
| LHW | 3 | 0 | 2 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 6 | 0 | 4 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 7 | 2 |
| Nawabshah | | | |
| Private Dispensary/Hospital | 34 | 73 | 53 |
| Govt. hospital/dispensary | 34 | 2 | 18 |
| RHC/BHU | 24 | 25 | 25 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 8 | 0 | 4 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Nowshero Feroze | | | |
| Private Dispensary/Hospital | 70 | 82 | 75 |
| Govt. hospital/dispensary | 30 | 6 | 19 |
| RHC/BHU | 0 | 11 | 5 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Ghotki | | | |
| Private Dispensary/Hospital | 22 | 84 | 81 |
| Govt. hospital/dispensary | 78 | 2 | 6 |
| RHC/BHU | 0 | 12 | 11 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 2 | 2 |
| Jacobabad | | | |
| Private Dispensary/Hospital | 100 | 77 | 83 |
| Govt. hospital/dispensary | 0 | 23 | 17 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Kashmore | | | |
| Private Dispensary/Hospital | 100 | 49 | 79 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 51 | 21 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Shikarpur | | | |
| Private Dispensary/Hospital | 100 | 69 | 71 |
| Govt. hospital/dispensary | 0 | 19 | 18 |
| RHC/BHU | 0 | 10 | 9 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 2 | 2 |
| Larkana | | | |
| Private Dispensary/Hospital | 91 | 93 | 92 |
| Govt. hospital/dispensary | 4 | 4 | 4 |
| RHC/BHU | 0 | 1 | 1 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 2 | 1 |
| Chemist/Pharmacy | 4 | 0 | 2 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Shahdadkot | | | |
| Private Dispensary/Hospital | 93 | 94 | 94 |
| Govt. hospital/dispensary | 7 | 5 | 5 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 1 | 1 |
| Other | 0 | 0 | 0 |
| Dadu | | | |
| Private Dispensary/Hospital | 100 | 74 | 82 |
| Govt. hospital/dispensary | 0 | 24 | 17 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 1 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 2 | 1 |
| Other | 0 | 0 | 0 |
| Jamshoro | | | |
| Private Dispensary/Hospital | 95 | 55 | 75 |
| Govt. hospital/dispensary | 5 | 21 | 13 |
| RHC/BHU | 0 | 24 | 12 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Hyderabad | | | |
| Private Dispensary/Hospital | 96 | 73 | 93 |
| Govt. hospital/dispensary | 4 | 16 | 5 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 11 | 1 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Matiari | | | |
| Private Dispensary/Hospital | 72 | 76 | 74 |
| Govt. hospital/dispensary | 28 | 15 | 20 |
| RHC/BHU | 0 | 9 | 6 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Tando Allah Yar | | | |
| Private Dispensary/Hospital | 61 | 81 | 73 |
| Govt. hospital/dispensary | 39 | 11 | 22 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 8 | 5 |
| Tando Muhd Khan | | | |
| Private Dispensary/Hospital | 100 | 63 | 67 |
| Govt. hospital/dispensary | 0 | 4 | 3 |
| RHC/BHU | 0 | 33 | 30 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Badin | | | |
| Private Dispensary/Hospital | 100 | 75 | 80 |
| Govt. hospital/dispensary | 0 | 18 | 14 |
| RHC/BHU | 0 | 7 | 5 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Thatta | | | |
| Private Dispensary/Hospital | 94 | 81 | 83 |
| Govt. hospital/dispensary | 6 | 13 | 12 |
| RHC/BHU | 0 | 1 | 1 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 5 | 4 |
| Other | 0 | 0 | 0 |
| Sanghar | | | |
| Private Dispensary/Hospital | 44 | 30 | 33 |
| Govt. hospital/dispensary | 54 | 29 | 36 |
| RHC/BHU | 0 | 22 | 16 |
| LHW | 0 | 3 | 2 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 2 | 14 | 11 |
| Hakeem/Homoeopathic/Herbalist | 0 | 1 | 0 |
| Other | 0 | 1 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Mir Pur Khas | | | |
| Private Dispensary/Hospital | 65 | 52 | 54 |
| Govt. hospital/dispensary | 17 | 46 | 41 |
| RHC/BHU | 0 | 2 | 2 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 6 | 0 | 1 |
| Hakeem/Homoeopathic/Herbalist | 12 | 0 | 2 |
| Other | 0 | 0 | 0 |
| Tharparkar | | | |
| Private Dispensary/Hospital | 22 | 76 | 73 |
| Govt. hospital/dispensary | 45 | 24 | 25 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 33 | 0 | 2 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Karachi | | | |
| Private Dispensary/Hospital | 94 | 80 | 93 |
| Govt. hospital/dispensary | 5 | 12 | 5 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 1 | 0 | 1 |
| Hakeem/Homoeopathic/Herbalist | 0 | 8 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Khyber Pakhtunkhwa | | | |
| Private Dispensary/Hospital | 41 | 59 | 57 |
| Govt. hospital/dispensary | 48 | 26 | 28 |
| RHC/BHU | 1 | 5 | 5 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 10 | 8 | 9 |
| Hakeem/Homoeopathic/Herbalist | 0 | 1 | 1 |
| Other | 0 | 0 | 0 |
| Swat | | | |
| Private Dispensary/Hospital | 17 | 70 | 68 |
| Govt. hospital/dispensary | 31 | 26 | 26 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 53 | 4 | 6 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Upper Dir | | | |
| Private Dispensary/Hospital | 42 | 21 | 23 |
| Govt. hospital/dispensary | 58 | 73 | 71 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 7 | 6 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Lower Dir | | | |
| Private Dispensary/Hospital | 0 | 47 | 47 |
| Govt. hospital/dispensary | 0 | 30 | 30 |
| RHC/BHU | 0 | 23 | 23 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Chitral | | | |
| Private Dispensary/Hospital | 0 | 9 | 9 |
| Govt. hospital/dispensary | 0 | 40 | 40 |
| RHC/BHU | 0 | 51 | 51 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Shangla | | | |
| Private Dispensary/Hospital | 0 | 55 | 55 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 45 | 45 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Malakand | | | |
| Private Dispensary/Hospital | 0 | 5 | 5 |
| Govt. hospital/dispensary | 0 | 47 | 46 |
| RHC/BHU | 100 | 32 | 34 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 16 | 16 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Bonair | | | |
| Private Dispensary/Hospital | 0 | 26 | 26 |
| Govt. hospital/dispensary | 0 | 45 | 45 |
| RHC/BHU | 0 | 20 | 20 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 9 | 9 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Peshawar | | | |
| Private Dispensary/Hospital | 42 | 83 | 69 |
| Govt. hospital/dispensary | 58 | 0 | 20 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 17 | 11 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Charsada | | | |
| Private Dispensary/Hospital | 34 | 82 | 71 |
| Govt. hospital/dispensary | 66 | 18 | 29 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Nowshera | | | |
| Private Dispensary/Hospital | 26 | 22 | 23 |
| Govt. hospital/dispensary | 65 | 56 | 58 |
| RHC/BHU | 0 | 15 | 11 |
| LHW | 0 | 4 | 3 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 9 | 4 | 5 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Kohat | | | |
| Private Dispensary/Hospital | 14 | 16 | 15 |
| Govt. hospital/dispensary | 43 | 40 | 41 |
| RHC/BHU | 15 | 23 | 21 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 29 | 17 | 20 |
| Hakeem/Homoeopathic/Herbalist | 0 | 4 | 3 |
| Other | 0 | 0 | 0 |
| Karak | | | |
| Private Dispensary/Hospital | 59 | 9 | 14 |
| Govt. hospital/dispensary | 28 | 28 | 28 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 13 | 63 | 58 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Hangu | | | |
| Private Dispensary/Hospital | 50 | 28 | 32 |
| Govt. hospital/dispensary | 50 | 26 | 30 |
| RHC/BHU | 0 | 39 | 32 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 7 | 6 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| D.I.Khan | | | |
| Private Dispensary/Hospital | 73 | 65 | 66 |
| Govt. hospital/dispensary | 14 | 16 | 16 |
| RHC/BHU | 0 | 6 | 5 |
| LHW | 0 | 1 | 1 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 14 | 10 | 11 |
| Hakeem/Homoeopathic/Herbalist | 0 | 1 | 1 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Tank | | | |
| Private Dispensary/Hospital | 50 | 58 | 57 |
| Govt. hospital/dispensary | 8 | 6 | 6 |
| RHC/BHU | 0 | 24 | 21 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 17 | 0 | 3 |
| Chemist/Pharmacy | 25 | 10 | 12 |
| Hakeem/Homoeopathic/Herbalist | 0 | 2 | 2 |
| Other | 0 | 0 | 0 |
| Mansehra | | | |
| Private Dispensary/Hospital | 28 | 89 | 88 |
| Govt. hospital/dispensary | 72 | 8 | 8 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 3 | 3 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Abbottabad | | | |
| Private Dispensary/Hospital | 49 | 26 | 37 |
| Govt. hospital/dispensary | 51 | 50 | 51 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 25 | 13 |
| Other | 0 | 0 | 0 |
| Batagram | | | |
| Private Dispensary/Hospital | 0 | 81 | 81 |
| Govt. hospital/dispensary | 0 | 12 | 12 |
| RHC/BHU | 0 | 5 | 5 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 1 | 1 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 1 | 1 |
| Kohistan | | | |
| Private Dispensary/Hospital | 0 | 70 | 70 |
| Govt. hospital/dispensary | 0 | 5 | 5 |
| RHC/BHU | 0 | 6 | 6 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 19 | 19 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Haripur | | | |
| Private Dispensary/Hospital | 58 | 58 | 58 |
| Govt. hospital/dispensary | 42 | 21 | 24 |
| RHC/BHU | 0 | 10 | 9 |
| LHW | 0 | 3 | 3 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 7 | 6 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Bannu | | | |
| Private Dispensary/Hospital | 45 | 46 | 46 |
| Govt. hospital/dispensary | 45 | 22 | 25 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 10 | 25 | 23 |
| Hakeem/Homoeopathic/Herbalist | 0 | 6 | 5 |
| Other | 0 | 0 | 0 |
| Lakki Marwat | | | |
| Private Dispensary/Hospital | 57 | 27 | 29 |
| Govt. hospital/dispensary | 0 | 17 | 15 |
| RHC/BHU | 0 | 4 | 3 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 43 | 49 | 49 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 4 | 3 |
| Mardan | | | |
| Private Dispensary/Hospital | 47 | 37 | 38 |
| Govt. hospital/dispensary | 53 | 58 | 57 |
| RHC/BHU | 0 | 2 | 2 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 3 | 3 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Swabi | | | |
| Private Dispensary/Hospital | 21 | 46 | 41 |
| Govt. hospital/dispensary | 68 | 44 | 49 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 11 | 3 | 4 |
| Hakeem/Homoeopathic/Herbalist | 0 | 5 | 4 |
| Other | 0 | 2 | 2 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Balochistan | | | |
| Private Dispensary/Hospital | 59 | 38 | 43 |
| Govt. hospital/dispensary | 31 | 33 | 32 |
| RHC/BHU | 6 | 13 | 12 |
| LHW | 1 | 4 | 3 |
| LHV/Nurse | 1 | 1 | 1 |
| Chemist/Pharmacy | 2 | 1 | 1 |
| Hakeem/Homoeopathic/Herbalist | 0 | 10 | 7 |
| Other | 0 | 2 | 1 |
| Quetta | | | |
| Private Dispensary/Hospital | 61 | 68 | 63 |
| Govt. hospital/dispensary | 29 | 32 | 30 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 10 | 0 | 7 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Pashin | | | |
| Private Dispensary/Hospital | 0 | 21 | 20 |
| Govt. hospital/dispensary | 100 | 79 | 80 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Qilla Abdullah | | | |
| Private Dispensary/Hospital | 37 | 25 | 28 |
| Govt. hospital/dispensary | 54 | 65 | 62 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 9 | 10 | 10 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Chaghi | | | |
| Private Dispensary/Hospital | 0 | 14 | 12 |
| Govt. hospital/dispensary | 100 | 70 | 76 |
| RHC/BHU | 0 | 10 | 9 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 5 | 4 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Nushki | | | |
| Private Dispensary/Hospital | 100 | 9 | 17 |
| Govt. hospital/dispensary | 0 | 40 | 37 |
| RHC/BHU | 0 | 33 | 30 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 12 | 11 |
| Hakeem/Homoeopathic/Herbalist | 0 | 5 | 4 |
| Other | 0 | 0 | 0 |
| Sibbi | | | |
| Private Dispensary/Hospital | 72 | 51 | 54 |
| Govt. hospital/dispensary | 0 | 44 | 38 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 28 | 4 | 7 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 1 | 1 |
| Ziarat | | | |
| Private Dispensary/Hospital | 0 | 19 | 18 |
| Govt. hospital/dispensary | 100 | 78 | 79 |
| RHC/BHU | 0 | 1 | 1 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 2 | 2 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Kohlu | | | |
| Private Dispensary/Hospital | 0 | 100 | 100 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Dera Bugti | | | |
| Private Dispensary/Hospital | 68 | 39 | 45 |
| Govt. hospital/dispensary | 32 | 0 | 7 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 38 | 30 |
| Other | 0 | 23 | 18 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Kalat | | | |
| Private Dispensary/Hospital | 100 | 85 | 86 |
| Govt. hospital/dispensary | 0 | 10 | 10 |
| RHC/BHU | 0 | 4 | 4 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Mastung | | | |
| Private Dispensary/Hospital | 82 | 56 | 72 |
| Govt. hospital/dispensary | 18 | 0 | 11 |
| RHC/BHU | 0 | 30 | 11 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 14 | 5 |
| Other | 0 | 0 | 0 |
| Khuzdar | | | |
| Private Dispensary/Hospital | 0 | 11 | 7 |
| Govt. hospital/dispensary | 100 | 65 | 77 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 24 | 16 |
| Other | 0 | 0 | 0 |
| Awaran | | | |
| Private Dispensary/Hospital | 0 | 0 | 0 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Kharan | | | |
| Private Dispensary/Hospital | 100 | 34 | 46 |
| Govt. hospital/dispensary | 0 | 38 | 31 |
| RHC/BHU | 0 | 29 | 23 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Washuk | | | |
| Private Dispensary/Hospital | 0 | 4 | 4 |
| Govt. hospital/dispensary | 0 | 81 | 81 |
| RHC/BHU | 0 | 10 | 10 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 6 | 6 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Lasbilla | | | |
| Private Dispensary/Hospital | 100 | 19 | 32 |
| Govt. hospital/dispensary | 0 | 34 | 28 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 47 | 40 |
| Other | 0 | 0 | 0 |
| Ketch | | | |
| Private Dispensary/Hospital | 51 | 29 | 32 |
| Govt. hospital/dispensary | 16 | 20 | 19 |
| RHC/BHU | 16 | 29 | 28 |
| LHW | 16 | 16 | 16 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 3 | 3 |
| Other | 0 | 3 | 3 |
| Gwadar | | | |
| Private Dispensary/Hospital | 30 | 52 | 39 |
| Govt. hospital/dispensary | 30 | 31 | 30 |
| RHC/BHU | 40 | 0 | 24 |
| LHW | 0 | 18 | 7 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Panjgur | | | |
| Private Dispensary/Hospital | 100 | 42 | 50 |
| Govt. hospital/dispensary | 0 | 22 | 19 |
| RHC/BHU | 0 | 11 | 9 |
| LHW | 0 | 25 | 22 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Zhob | | | |
| Private Dispensary/Hospital | 58 | 65 | 64 |
| Govt. hospital/dispensary | 42 | 6 | 12 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 28 | 24 |
| Other | 0 | 0 | 0 |
| Loralai | | | |
| Private Dispensary/Hospital | 60 | 48 | 50 |
| Govt. hospital/dispensary | 40 | 52 | 50 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Barkhan | | | |
| Private Dispensary/Hospital | 100 | 65 | 70 |
| Govt. hospital/dispensary | 0 | 22 | 18 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 6 | 5 |
| Other | 0 | 7 | 6 |
| Musa Khel | | | |
| Private Dispensary/Hospital | 0 | 59 | 59 |
| Govt. hospital/dispensary | 0 | 36 | 36 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 5 | 5 |
| Qilla Saifullah | | | |
| Private Dispensary/Hospital | 23 | 11 | 15 |
| Govt. hospital/dispensary | 77 | 73 | 74 |
| RHC/BHU | 0 | 0 | 0 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 5 | 3 |
| Other | 0 | 11 | 7 |

TABLE 3.9: TYPE OF PRACTITIONER CONSULTED FOR DIARRHEA TREATMENT

| PROVINCE & DISTRICT | PERCENTAGE OF DIARRHEA CASES | | |
|-------------------------------|------------------------------|-------|-------|
| | Urban | Rural | Total |
| Nasirabad | | | |
| Private Dispensary/Hospital | 70 | 37 | 50 |
| Govt. hospital/dispensary | 30 | 28 | 29 |
| RHC/BHU | 0 | 21 | 12 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 14 | 9 |
| Other | | | |
| Jafarabad | | | |
| Private Dispensary/Hospital | 100 | 47 | 72 |
| Govt. hospital/dispensary | 0 | 0 | 0 |
| RHC/BHU | 0 | 53 | 28 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Jhal Magsi | | | |
| Private Dispensary/Hospital | 44 | 15 | 17 |
| Govt. hospital/dispensary | 56 | 57 | 57 |
| RHC/BHU | 0 | 29 | 26 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 0 | 0 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Bolan | | | |
| Private Dispensary/Hospital | 43 | 35 | 36 |
| Govt. hospital/dispensary | 43 | 1 | 7 |
| RHC/BHU | 14 | 59 | 53 |
| LHW | 0 | 0 | 0 |
| LHV/Nurse | 0 | 0 | 0 |
| Chemist/Pharmacy | 0 | 4 | 3 |
| Hakeem/Homoeopathic/Herbalist | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |