

TABLE 3. 8 DIARRHOEA CASES IN PAST 30 DAYS - BY QUINTILES

REGION AND INCOME GROUP	PERCENTAGE OF CHILDREN 5 YEARS AND UNDER -2005-06 PSLM								
	URBAN AREAS			RURAL AREAS			BOTH		
	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH
PUNJAB :									
1 st Quintile	17	16	16	16	19	17	16	19	17
2 nd Quintile	14	9	11	12	14	13	12	12	12
3 rd Quintile	16	10	13	15	12	13	15	11	13
4 th Quintile	13	13	13	16	15	16	15	14	15
5 th Quintile	12	14	13	20	12	16	15	13	14
SINDH:									
1 st Quintile	11	6	8	9	8	8	9	8	8
2 nd Quintile	12	8	10	9	6	7	9	6	8
3 rd Quintile	8	7	8	14	6	10	12	7	9
4 th Quintile	7	4	5	6	13	9	7	6	6
5 th Quintile	1	7	4	6	10	8	2	7	5
NWFP:									
1 st Quintile	19	10	15	14	10	12	15	10	12
2 nd Quintile	9	21	15	15	15	15	15	15	15
3 rd Quintile	10	16	13	16	17	17	15	17	16
4 th Quintile	13	17	15	19	19	19	18	19	18
5 th Quintile	16	7	12	12	13	13	13	12	13
BALUCHISTAN:									
1 st Quintile	12	10	11	4	5	4	5	5	5
2 nd Quintile	5	9	7	2	1	2	3	3	3
3 rd Quintile	6	3	5	3	6	5	4	5	5
4 th Quintile	14	0	7	2	4	3	6	3	4
5 th Quintile	8	0	4	2	4	3	4	3	3
PAKISTAN:									
1 st Quintile	15	11	13	13	13	13	13	13	13
2 nd Quintile	12	9	11	11	11	11	12	11	11
3 rd Quintile	13	9	11	14	11	13	14	11	12
4 th Quintile	11	9	10	15	15	15	14	13	13
5 th Quintile	9	11	10	16	12	14	12	11	12

NOTES:

1. Quintiles: Income groups made on the basis of per-capita household consumption.
2. The 1st Quintile contains individuals with the lowest consumption level, whereas the 5th quintile contains individuals with the highest consumption level.
3. Children who suffered from diarrhoea in the 30 days prior to the interview expressed as a percentage of all children aged less than 5 years.